

## PEMF PUBLICATIONS

- Aaron, Roy K., Deborah McK.Ciombor, Hugh Keeping, Shuo Wang, Aaron Capuano, and Charles Polk. 1999. Power Frequency Fields Promote Cell Differentiation Coincident With an Increase in Transforming Growth Factor-b1 Expression. *Bioelectromagnetics* 20:453-458
- Aaron, Roy K., Shuo Wang, Deborah McK. Ciombor. 2002. Upregulation of basal TGFb1 levels by EMF coincident with chondrogenesis - implications for skeletal repair and tissue engineering. *Journal of Orthopaedic Research* 20: 233-240
- Aaron, Roy, Barbara D. Boyan, Deborah McK. Ciombor, Zvi Schwartz, Bruce J. Simon. 2004. Stimulation of Growth Factor Synthesis by Electric and Electromagnetic Fields (*Clin Orthop* 419:30-37)
- Akai M, Hayashi K. Effect of electrical stimulation on musculoskeletal systems: A Meta-analysis of controlled clinical trials. *Bioelectromagnetics* 2002; 23:132-143.
- Albertini, Alberto, Patrizia Zucchini, Giorgio Noera, Ruggero Cadossi, Carlo Pace Napoleone, Angelo Pierangel. 1999. Protective Effect of Low Frequency Low Energy Pulsing Electromagnetic Fields on Acute Experimental Myocardial Infarcts in Rats. *Bioelectromagnetics* 20:372-377.
- Amaral SL, Linderman JR, Morse MM, Greene AS. Angiogenesis induced by electrical stimulation is mediated by angiotensin II and VEGF. *Microcirculation* 2001; 8:57-67.
- Baker LL, Chambers R, DeMuth SK, Villar F. Effects of electrical stimulation on wound healing in patients with diabetic ulcers. *Diabetes Care* 1997; 20:405-412.
- Balcavage WX, Alvager T, Swez J, Goff CW, Fox MT, Abdullyava S, King MW. A mechanism for action of extremely low frequency electromagnetic fields on biological systems. *Biochem Biophys Res Commun* 1996; 222:374-378.
- Barker AT, Jaffe LF, Venable JW, Jr. The glabrous epidermis of cavies contains a powerful battery. *Am J Physiol* 1982; 242:R358-366.
- Bentall RHC. Low-level pulsed radiofrequency fields and the treatment of soft-tissue injuries. *Bioelectricity and Bioenergetics* 1986; 16:531-548.
- Biedebach MC. Accelerated healing of skin ulcers by electrical stimulation and the intracellular physiological mechanisms involved. *Acupunct Electrother Res* 1989; 14:43-60.
- Binh V. N. and A V. Savin. 2002. Molecular gyroscopes and biological effects of weak extremely lowfrequency magnetic fields. *Physical Review E*, 65: 051912.
- Binhi VN, Goldman RJ. Ion-protein dissociation predicts 'windows' in electric field-induced wound-cell proliferation. *Biochim Biophys Acta* 2000; 1474:147-156.
- Blank, M. and R. Goodman, 2002. Interaction of Weak Low Frequency Electromagnetic Fields with DNA: Mechanism and Biomedical Applications. *IEEE Trans. Plasma Sci.* 30: 497- 1500.
- Blank, M., and R. Goodman. 2000. Stimulation of the Cellular Stress Response by Low Frequency Electromagnetic Fields: Possibility of Direct Interaction with DNA, *IEEE Trans. Plasma Sci.* 28: 168- 172.
- Blank, Martin and Lily Soo. 2003. Electromagnetic acceleration of the Belousov-Zhabotinski reaction *Bioelectrochemistry.* 61: 93- 97.
- Bogie KM, Reger SI, Levine SP, Sahgal V. Electrical stimulation for pressure sore prevention and wound healing. *Assist Technol* 2000; 12:50-66.

- Bourguignon GJ, Bourguignon LY. Electric stimulation of protein and DNA synthesis in human fibroblasts. *Faseb J* 1987; 1:398-402.
- Bouzarjomehri F., Hajizadeh S., Sharafi A, Firoozabadi S.M. 2000. Effect of low frequency pulse electromagnetic field on wound healing in rat skin. *Arch. Iranian. Med*, 3(1): 23-26.
- Brown M, McDonnell MK, Menton DN. Polarity effects on wound healing using electric stimulation in rabbits. *Arch Phys Med Rehabil* 1989; 70:624-627.
- Burr HS, Harvey SC, Taffel M. Bio-electric correlates of wound healing. *Yale J Biol Med* 1938; 11:104-107.
- Canedo-Dorantes L, Garcia-Cantu R, Barrera R, Mendez-Ramirez I, Navarro VH, Serrano G. Healing of chronic arterial and venous leg ulcers with systemic electromagnetic fields. *Arch Med Res* 2002; 33:281-289.
- Chang, Kyle, Walter Hong-Shong Chang, Mei-LingWu, Chung Shih. 2003. Effects of Different Intensities of Extremely Low Frequency Pulsed Electromagnetic Fields on Formation of Osteoclast-Like Cells. *Bioelectromagnetics* 24:431-439.
- Cheng K, Goldman RJ. Electric fields and proliferation in a dermal wound model: cell cycle kinetics. *Bioelectromagnetics* 1998; 19:68-74.
- Cho MR, Marler JP, Thatte HS, Golan DE. Control of calcium entry in human fibroblasts by frequency-dependent electrical stimulation. *Front Biosci* 2002; 7:a1-8.
- Choleris, E., AW. Thomas, M. Kavaliers, F.S. Prato. 2001. A detailed ethological analysis of the mouse open field test: effects of diazepam, chlordiazepoxide and an extremely low frequency pulsed magnetic field. *Neurosci. Biobehav. Rev.* 25: 235-260.
- Ciombor, D. McK., R. K. Aaron, S. Wang B. Simon. 2003. Modification of osteoarthritis by pulsed electromagnetic field-a morphological study. *OsteoArthritis and Cartilage* 11: 455-462.
- Cleary SF, Liu LM, Graham R, Diegelmann RF. Modulation of tendon fibroplasia by exogenous electric currents. *Bioelectromagnetics* 1988; 9:183-194.
- Comorosan S, Vasilco R, Arghiropol M, Paslaru L, Jieanu V, Stelea S. The effect of diapulse therapy on the healing of decubitus ulcer. *Rom J Physiol* 1993; 30:41-45.
- Crowe, Maria J., Zhong-Ping Sun, Joseph H. Battocletti, Melissa Y. Macias, Frank A Pintar, and Dennis J. Maiman, 2003. Exposure to Pulsed Magnetic Fields Enhances Motor Recovery in Cats After Spinal Cord Injury. *Spine* 28:2660-2666.
- De Koninck P, Schulman H. Sensitivity of CaM kinase II to the frequency of Ca<sup>2+</sup> oscillations. *Science* 1998; 279:227-230.
- Del Seppia, C., P. Luschi, S. Ghione, E. Crosio, E. Choleris, F. Papi. 2000. Exposure to a hypogeomagnetic field or to oscillating magnetic fields similarly reduce stress-induced analgesia in C57 male mice, *Life Sci.* 66: 1299-1306.
- Dhawan SK, Conti SF, Towers J, Abidi NA, Vogt M. 2004. The effect of pulsed electromagnetic fields on hindfoot arthrodesis: a prospective study. *J Foot Ankle Surg.* 43: 93-6.
- Di Carlo, AL., J.M. Mullins, T.A. Litovitz. 2000a. Electromagnetic field-induced protection of chick embryos against hypoxia exhibits characteristics of temporal sensing. *Bioelectrochemistry* 52: 17-21.
- Di Carlo, AL., J.M. Mullins, T.A. Litovitz. 2000b. Thresholds for electromagnetic field-induced hypoxia protection: evidence for a primary electric field effect. *Bioelectrochemistry* 52: 9-16.

Di Carlo, AL., N.C. White, T.A. Litovitz 2000. Mechanical and electromagnetic induction of protection against oxidative stress *Bioelectrochemistry* 53: 87-95.

Diniz, Pericles, Kazuhisa Soejima, and Gakuji Ito. 2002. Nitric oxide mediates the effects of pulsed electromagnetic field stimulation on the osteoblast proliferation and differentiation. *Nitric Oxide* 7:18-23.

Dolmetsch RE, Lewis RS, Goodnow CC, Healy JI. Differential activation of transcription factors induced by Ca<sup>2+</sup> response amplitude and duration. *Nature* 1997; 386:855-858.

Erdman WJ. Peripheral blood flow measurements during application of pulse high frequency currents. *Amer J Orthop* 1960; 2:196-197.

Fioravanti, A, F. Nerucci, G. Collodel, R. Markoll, R. Marcolongo 2002. Biochemical and morphological study of human articular chondrocytes cultivated in the presence of pulsed signal therapy. *Ann Rheum Dis.* 61: 1032-1033.

Flemming K, Cullum N. Electromagnetic therapy for the treatment of pressure sores. *Cochrane Database Syst Rev* 2001; 1.

Flemming K, Cullum N. Electromagnetic therapy for the treatment of venous leg ulcers. *Cochrane Database Syst Rev* 2001; 1.

Foster, K. 2000. Thermal and Nonthermal Mechanisms of Interaction of Radio-Frequency Energy with Biological Systems *IEEE Trans. Plasma Sci.* 28: 15-23.

Franek A, Polak A, Kucharzewski M. Modern application of high voltage stimulation for enhanced healing of venous crural ulceration. *Med Eng Phys* 2000; 22:647-655.

Franke A, Reding R, Tessmann D. Electrostimulation of healing abdominal incisional hernias by low frequency, bipolar, symmetrical rectangular pulses. An experimental study. *Acta Chir Scand* 1990; 156:701-705.

Galvanovskis J, J. S. Periodic forcing of intracellular calcium oscillators: Theoretical studies of the effects of low frequency fields on the magnitude of oscillations. *Bioelectricity and Bioenergetics* 1998; 46:161-174.

Galvanovskis J, Sandblom J, Bergqvist B, Galt S, Hamnerius Y. Cytoplasmic Ca<sup>2+</sup> oscillations in human leukemia T-cells are reduced by 50 Hz magnetic fields. *Bioelectromagnetics* 1999; 20:269-276.

Galvanovskis J, Sandblom J, Bergqvist B, Galt S, Hamnerius Y. The influence of 50-Hz magnetic fields on cytoplasmic Ca<sup>2+</sup> oscillations in human leukemia T-cells. *Sci Total Environ* 1996; 180:19-33.

Gartzke J, Lange K. 2002. Cellular target of weak magnetic fields: ionic conduction along actin filaments of microvilli. *Am J Physiol Cell Physiol.* 283:C1333-46.

Geary GG, Maeda G, Gonzalez RR, Jr. Endothelium-dependent vascular smooth muscle relaxation activated by electrical field stimulation. *Acta Physiol Scand* 1997; 160:219-228.

Gentzkow GD. Electrical stimulation to heal dermal wounds. *J Dermatol Surg Oncol* 1993; 19:753-758.

George FR, Lukas RJ, Moffett J, Ritz MC. In-vitro mechanisms of cell proliferation induction: A novel bioactive treatment for acceleraing wound healing. *Wounds* 2002; 14:107-115.

Ghossaini SN, Spitzer JB, Mackins CC, Zschommler A, Diamond BE, Wazen JJ. 2004. High-frequency pulsed electromagnetic energy in tinnitus treatment. *Laryngoscope.* 114:495-500.

Gilbert TL, Griffin N, Moffett J, Ritz MC, George FR. The Provant Wound Closure System induces activation of p44/42 MAP kinase in normal cultured human fibroblasts. *Ann N Y Acad Sci* 2002; 961:168-171.

Gilcreast DM, Stotts NA, Froelicher ES, Baker LL, Moss KM. Effect of electrical stimulation on foot skin perfusion in persons with or at risk for diabetic foot ulcers. *Wound Repair Regen* 1998; 6:434-441.

Glassman LS, McGrath MH, Bassett CA. Effect of external pulsing electromagnetic fields on the healing of soft tissue. *Ann Plast Surg* 1986; 16:287-295.

Goldman R, Brewley B, Golden M. Electrotherapy reoxygenates inframalleolar ischemic wounds on diabetic patients. *Advances in Skin and Wound Care* 2002; 15:112-120.

Goldman R, Pollack S. Electric fields and proliferation in a chronic wound model. *Bioelectromagnetics* 1996; 17:450-457.

Goodman E, Greenebaum B, Frederiksen J. Effect of pulsed magnetic fields on human umbilical endothelial vein cells. *Bioelectricity and Bioenergetics* 1993; 32:125-132.

Greenough CG. The effects of pulsed electromagnetic fields on blood vessel growth in the rabbit ear chamber. *J Orthop Res* 1992; 10:256-262.

Hedenius P, Odeblad E, Wahlstrom L. Some preliminary investigations on the therapeutic effect of pulsed short waves in intermittent claudication. *Current Therapeutic Research* 1966; 8:317-321.

Hill, Jonathan, Martyn Lewis, Pauline Mills, Cay Kielty. 2002. Pulsed Short-Wave Diathermy Effects on Human Fibroblast Proliferation *Arch Phys Med Rehabil* 83: 832-836.

Hinsenkamp M, Jercinovic A, de Graef C, Wilaert F, Heenen M. Effects of low frequency pulsed electrical current on keratinocytes in vitro. *Bioelectromagnetics* 1997; 18:250-254.

Ieran M, Zaffuto S, Bagnacani M, Annovi M, Moratti A, Cadossi R. Effect of low frequency pulsing electromagnetic fields on skin ulcers of venous origin in humans: a double-blind study. *J Orthop Res* 1990; 8:276-282.

Itoh M, Montemayor JS, Jr., Matsumoto E, Eason A, Lee MH, Folk FS. Accelerated wound healing of pressure ulcers by pulsed high peak power electromagnetic energy (Diapulse). *Decubitus* 1991; 4:24-25, 29-34.

Johnson MT, Waite LR, Nindl G. 2004. Noninvasive treatment of inflammation using electromagnetic fields: current and emerging therapeutic potential. *Biomed Sci Instrum.* 40:469-74.

Katsir G, Baram SC, Parola AH. Effect of sinusoidally varying magnetic fields on cell proliferation and adenosine deaminase specific activity. *Bioelectromagnetics* 1998; 19:46-52.

Kenkre JE, Hobbs FD, Carter YH, Holder RL, Holmes EP. A randomized controlled trial of electromagnetic therapy in the primary care management of venous leg ulceration. *Fam Pract* 1996; 13:236-241.

Kim SS, Shin HJ, Eom OW, Huh JR, Woo Y, Kim H, Ryu SH, Suh PG, Kim MJ, Kim JY, Koo TW, Cho YH, Chung SM. 2002. Enhanced expression of neuronal nitric oxide synthase and phospholipase C- gamma1 in regenerating murine neuronal cells by pulsed electromagnetic field. *Exp Mol Med.* 34:53-9.

Kindzelskii AL, Petty HR. Extremely low frequency pulsed DC electric fields promote neutrophil extension, metabolic resonance and DNA damage when phase-matched with metabolic oscillators. *Biochim Biophys Acta* 2000; 1495:90-111.

Kloth LC, McCulloch JM. Promotion of wound healing with electrical stimulation. *Adv Wound Care* 1996; 9:42-45.

Lappin M.S., Lawrie, F.W., Richards, T.LJ, Kramer, E.D. 2003. Effects of a pulsed electromagnetic therapy on multiple sclerosis fatigue and quality of life: a double-blind, placebo controlled trial. *Altern Ther Health Med.* 9:38-48.

Lee RC, Canaday DJ, Doong H. A review of the biophysical basis for the clinical application of electric fields in soft-tissue repair. *J Burn Care Rehabil* 1993; 14:319-335.

- Levin, M. 2003. Review: Bioelectromagnetics in Morphogenesis. *Bioelectromagnetics* 24:295-315
- Liboff, A. 2004. Toward an Electromagnetic Paradigm for Biology and Medicine. *The journal of alternative and complementary medicine*. Volume 10: 41—47.
- Liboff AR, Jenrow KA. Physical mechanisms in neuroelectromagnetic therapies. *NeuroRehabilitation* 2002; 17:9-22.
- Lin Y, Nishimura R, Nozaki K, Sasaki N, Kadosawa T, Goto N, Date M, Takeuchi A. Effects of pulsing electromagnetic fields on the ligament healing in rabbits. *J Vet Med Sci* 1992; 54:1017-1022.
- Loschinger M, Thumm S, Hammerle H, Rodemann HP. Induction of intracellular calcium oscillations in human skin fibroblast populations by sinusoidal extremely low-frequency magnetic fields (20 Hz, 8 mT) is dependent on the differentiation state of the single cell. *Radiat Res* 1999; 151:195-200.
- Markov M, Pilla AA. Electromagnetic stimulation of soft tissues:pulsed radio frequency treatment of postoperative pain and edema. *Wounds* 1995; 7:143-151.
- Markov M. Electric current and electromagnetic field effects on soft tissue: Implications for wound healing. *Wounds* 1995; 7:94-110.
- Mayrovitz HN, Larsen PB. Effects of pulsed electromagnetic fields on skin microvascular blood perfusion. *Wounds* 1992; 4:197-202.
- Mayrovitz HN, Macdonald J, Sims N. Effects of pulsed radio frequency diathermy on postmastectomy arm lymphedema and skin blood flow: A pilot investigation. *Lymphology* 2002.
- McCulloch JM, Kloth LC, Feedar JA. Wound healing alternatives in management. In: Wolf SE, ed. *Contemporary Perspectives in Rehabilitation*. Philadelphia: F. A. Davis, 1995:275-310.
- McKay BE, Koren SA, Persinger MA. 2003. Behavioral effects of combined perinatal L-NAME and 0.5 Hz magnetic field treatments. *Int J Neurosci*. 113: 119-39.
- Musaev, A. V., Guseinova, S. G., Imamverdieva, S. S. 2003. The use of pulsed electromagnetic fields with complex modulation in the treatment of patients with diabetic polyneuropathy. *Neurosci Behav Physiol*. 33:745-52.
- Nicolakis, P., Kollmitzer, J., Crevenna, R., Bittner, C., Erdogmus C.B., Nicolakis, J. 2002. Pulsed magnetic field therapy for osteoarthritis of the knee--a double-blind sham-controlled trial. *Wiener Klinische Wochenschrift*. 114:678-84.
- Nikolaev AV, Shekhter AB, Mamedov LA, Novikov AP, Manucharov NK. Use of a sinusoidal current of optimal frequency to stimulate the healing of skin wounds. *Biull Eksp Biol Med* 1984; 97:731-734.
- Nindl G, Balcavage WX, Vesper ON, Swez JA, Wetzel BJ, Chamberlain JK, Fox MT. 2000. Experiments showing that electromagnetic fields can be used to treat inflammatory diseases. *Biomed Sci Instrum*. 36:7-13.
- Noda, Yasuko. Akitane Mori, Robert P. Liburdy, Lester Packer. 2000. Pulsed magnetic fields enhance nitric oxide synthase activity in rat cerebellum. *Pathophysiology* 7: 127-130.
- Panagopoulos DJ, Messini N, Karabarbounis A, Philippetis AL, Margaritis LH. A mechanism for action of oscillating electric fields on cells. *Biochem Biophys Res Commun* 2000; 272:634-640.
- Panagopoulos, Dimitris J., Andreas Karabarbounis, and Lukas H. Margaritis. 2002. Mechanism for action of electromagnetic fields on cells. *Biochemical and Biophysical Research Communications* 298: 95-102.
- Peters EJ, Lavery LA, Armstrong DG, Fleischli JG. Electric stimulation as an adjunct to heal diabetic foot ulcers: a randomized clinical trial. *Arch Phys Med Rehabil* 2001; 82:721-725.

- Pickering, S.A., Bayston, R, Scammell, B.E. 2003. Electromagnetic augmentation of antibiotic efficacy in infection of orthopaedic implants. *J Bone Joint Surg Br.* 85: 588-93.
- Pipitone N, and Scott D. L. 2001. Magnetic pulse treatment for knee osteoarthritis: a randomised, doubleblind, placebo-controlled study. *Curr Med Res Opin.* 17:190-196.
- Polk, Charles 2000. Biological Applications of Large Electric Fields: Some History and Fundamentals *IEEE Trans. Plasma Sci.* 28: 6-14.
- Ritz MC, Gallegos R, Canham MB, Eskalai M, George FR. 2002. PROVANT Wound-Closure System Accelerates Closure of Pressure Wounds in a Randomized, Double-Blind, Placebo-Controlled Trial. *Ann NY Acad Sci* 961: 356-359.
- Sakurai, T., Akira Satake, Shoichiro Sumi, Kazutomo Inoue, Junji Miyakosh. 2004. An Extremely Low Frequency Magnetic Field Attenuates Insulin Secretion From the Insulinoma Cell Line, RIN-m. *Bioelectromagnetics* 25: 160-166.
- Salzberg CA, Cooper-Vastola SA, Perez F, Viehbeck MG, Byrne DW. The effects of non-thermal pulsed electromagnetic energy on wound healing of pressure ulcers in spinal cord-injured patients: a randomized, double-blind study. *Ostomy Wound Manage* 1995; 41:42-44, 46, 48 passim.
- Sarma GR, Subrahmanyam S, Deenabandhu A, Babu CR, Madhivathanan S, Kesavaraj N. Exposure to pulsed magnetic fields in the treatment of plantar ulcers in leprosy patients--a pilot, randomized, double-blind, controlled clinical trial. *Indian J Lepr* 1997; 69:241-250.
- Scardino MS, Swaim SF, Sartin EA. 1998. Evaluation of treatment with a pulsed electromagnetic field on wound healing. *Am J Vet Res.* 59: 1177-81.
- Seaborne D, Quirion-DeGirardi C, Rousseau M, M. R, J. L. The treatment of pressure sores using pulsed electromagnetic energy (PEME). *Physiotherapy Canada* 1996; 48:131-137.
- Sheffet A, Cytryn AS, Louria DB. Applying electric and electromagnetic energy as adjuvant treatment for pressure ulcers: a critical review. *Ostomy Wound Manage* 2000; 46:28-33, 36-40, 42-24.
- Sherman, Richard A., Nancy M. Acosta, Linda Robson 1999. Treatment of Migraine With Pulsing Electromagnetic Fields: A Double-Blind, Placebo-Controlled Study. *Headache* 39: 567-575.
- Shupak, Naomi M., Jennifer M. Hensela, Shelly K. Cross-Mellor, Martin Kavaliers, Frank S. Prato, Alex W. Thomas. 2004. Analgesic and behavioral effects of a 100 mT specific pulsed extremely low frequency magnetic field on control and morphine treated CF-1 mice. *Neuroscience Letters* 354: 30-33.
- Simmons, JW Jr, Mooney V, Thacker I. 2004. Pseudarthrosis after lumbar spine fusion: nonoperative salvage with pulsed electromagnetic fields. *Am J Orthop.* 33:27-30.
- Smith, Thomas L., Donna Wong-Gibbons, Jane f/vaultsby. 2002. Microcirculatory effects of pulsed electromagnetic fields. *Journal of Orthopaedic Research* 22: 80-84.
- Spadaro JA, Bergstrom WH. 2002. In vivo and in vitro effects of a pulsed electromagnetic field on net calcium flux in rat calvarial bone. *Calcif Tissue Int.* 70:496-502.
- Spodaryk, K. 2002. The effect of extremely weak pulsed electromagnetic field treatments upon signs and symptoms of delayed onset of muscle soreness; a placebo controlled clinical double blind study. *Medicina Sportiva*, Vol. 6 (EE1): E19-E25.
- Stefanovska A, Vodovnik L, Benko H, Turk R. Treatment of chronic wounds by means of electric and electromagnetic fields. Part 2. Value of FES parameters for pressure sore treatment. *Med Biol Eng Comput* 1993; 31:213-220.

- Stiller MJ, Pak GH, Shupack JL, Thaler S, Kenny C, Jondreau L. A portable pulsed electromagnetic field (PEMF) device to enhance healing of recalcitrant venous ulcers: a double-blind, placebo- controlled clinical trial. *Br J Dermatol* 1992; 127:147-154.
- Supino R, Bottone MG, Pellicciari C, Caserini C, Bottiroli G, Belleri M, Veicsteinas A. Sinusoidal 50 Hz magnetic fields do not affect structural morphology and proliferation of human cells in vitro. *Histol Histopathol* 2001; 16:719-726.
- Sussman C, Bates-Jensen BM. *Wound Care: A Collaborative Practice Manual for Physical Therapists and Nurses*: Aspen Publishers, 2001.
- Thumm S, Loschinger M, Glock S, Hammerle H, Rodemann HP. Induction of cAMP-dependent protein kinase A activity in human skin fibroblasts and rat osteoblasts by extremely low-frequency electromagnetic fields. *Radiat Environ Biophys* 1999; 38:195-199.
- Vanable JW, Jr. Integumentary potentials and wound healing. *Electric Fields in Vertebrate Repair*: Alan R. Liss, Inc., 1989:171-224.
- Ventura, Carlo, Margherita Maioli , Gianfranco Pintus , Giovanni Gottardi ,Ferdinando Bersani. 2000. Elfpulsed magnetic fields modulate opioid peptide gene expression in myocardial cells. *Cardiovascular Research* 45: 1054-1 064.
- Vodovnik L, Karba R. Treatment of chronic wounds by means of electric and electromagnetic fields. Part 1. Literature review. *Med Biol Eng Comput* 1992; 30:257-266.
- Vodovnik L, Miklavcic D, Sersa G. Modified cell proliferation due to electrical currents. *Med Biol Eng Comput* 1992; 30:CE21-28.
- Volpe, P. 2003. Interactions of zero-frequency and oscillating magnetic fields with biostructures and biosystems *Photochem. Photobiol. Sci.* 2: 637-648.
- Weintraub M. I, and Cole, S. P. 2004. Pulsed magnetic field therapy in refractory neuropathic pain secondary to peripheral neuropathy: electrodiagnostic parameters--pilot study. *Neurorehabil Neural Repair.* 18:42-6.
- Xu S, Okano H, Ohkubo C. Subchronic effects of static magnetic fields on cutaneous microcirculation in rabbits. *In Vivo* 1998; 12:383-389.
- Yen-Patton GP, Patton WF, Beer DM, Jacobson BS. Endothelial cell response to pulsed electromagnetic fields: stimulation of growth rate and angiogenesis in vitro. *J Cell Physiol* 1988; 134:37-46.
- Yoshikawa, Toshikazu, Mari Tanigawa, Toru Tanigawa, Akito Imai, Hitoshi Hongo, Motoharu Kondo. 2000. Enhancement of nitric oxide generation by low frequency electromagnetic field. *Pathophysiology* 7: 131-135.